

**AMENDMENTS TO THE CLAIMS:**

***This listing of claims will replace all prior versions, and listings, of claims in the application:***

1. (Currently amended) A production method for a solar battery module, comprising:

utilizing a production apparatus including a positioning belt and a heating belt located adjacent each other in a transferable manner and a press belt extending over the positioning belt and the heating belt in opposed relation to the positioning belt and the heating belt such that the press belt overlaps at least a portion of the positioning belt, the positioning belt having a vacuum suction hole, and the heating belt having no suction hole, and adapted to control the heating belt and the press belt at predetermined temperatures;

positioning a plurality of solar battery cells and interconnectors required for connection of the solar battery cells on an upstream portion of the positioning belt and transporting the solar battery cells and the interconnectors to a downstream portion of the positioning belt while holding the solar battery cells and the interconnectors in a properly positioned state by the action of the vacuum suction hole;

transferring the solar battery cells and the interconnectors transported to the downstream portion of the positioning belt onto the heating belt while holding the solar battery cells and the interconnectors between the positioning belt and the press belt; and

holding the solar battery cells and the interconnectors transferred onto the heating belt between the heating belt and the press belt and soldering the interconnectors to the solar battery cells while transporting the solar battery cells and the interconnectors.

2. (Previously presented) The solar battery module production method as set forth in claim 1, wherein at least a surface of the positioning belt is composed of a resin.

3. (Currently amended) The solar battery module production apparatus to be used for a solar battery module production method as recited in claim 1, the production apparatus comprising:

a positioning belt and a heating belt located adjacent each other in a transferable manner; and

a press belt extending over the positioning belt and the heating belt in opposed relation to the positioning belt and the heating belt,

wherein the heating belt and the press belt are each controlled at a predetermined temperature, ~~and wherein the press belt overlaps at least a portion of the positioning belt,~~ the positioning belt has a vacuum suction hole, and the heating belt has no suction hole.

4. (Previously presented) The solar battery module production apparatus as set forth in claim 3, wherein at least a surface of the positioning belt is composed of a resin.

5. (Currently amended) The solar battery module production method ~~for a solar battery module, comprising: utilizing a production apparatus including a heating belt and a press belt disposed in opposed relation and as set forth in claim 1, wherein the production apparatus further comprises at least one upper-lower resilient member which biases the heating belt towards the press belt and at least one lower-upper resilient member which biases the press belt toward the heating belt, and adapted to control the heating belt and the press belt at predetermined temperatures;~~

~~holding a plurality of solar battery cells and interconnectors required for connection of the solar battery cells between the heating belt and the press belt in a properly positioned state; and~~

~~soldering the interconnectors to the solar battery cells while transporting the solar battery cells and the interconnectors.~~

6. (Currently amended) The solar battery module production method as set forth in claim 5, wherein one or both the at least one upper and at least one lower resilient members are leaf springs.

7. (Currently amended) The solar battery module production apparatus ~~to be used for a solar battery module production method as recited in claim 5;~~  
~~the production apparatus comprising: a heating belt and a press belt disposed~~  
~~in opposed relation; and as set forth in claim 3, further comprising: at least one~~  
~~upper-lower~~ resilient member which biases the heating belt towards the press  
belt; and at least one ~~lower-upper~~ resilient member which biases the press belt  
towards the heating belt, ~~wherein the heating belt and the press belt are each~~  
~~controlled at a predetermined temperature.~~

8. (Previously presented) The solar battery module production  
apparatus as set forth in claim 7, wherein one or both the at least one upper  
and at least one lower resilient members are leaf springs.

9. (Currently amended) The solar battery module production method as  
set forth in claim 5, wherein a number of upper resilient members is less than  
a number of lower resilient members.

10. (Previously presented) The solar battery module production  
apparatus as set forth in claim 7, wherein a number of upper resilient  
members is less than a number of lower resilient members.

11. (Currently amended) The solar battery module production apparatus ~~method~~ as set forth in claim ~~3~~, further comprising: 1, wherein the production apparatus further comprises ~~an upper~~ a lower heating block disposed on a back side of the heating belt and ~~a lower~~ an upper heating block disposed on a back side of the ~~pressing~~ press belt, the upper and lower heating blocks adapted to heat solar cells of the solar battery module; and

~~an upper~~ a lower cooling block disposed on the back side of the heating belt and ~~a lower~~ an upper cooling block disposed on a back side of the ~~pressing~~ press belt, the upper and lower cooling blocks adapted to cool the solar cells of the solar battery module.

12. (Currently amended) The solar battery module production apparatus as set forth in claim ~~7~~ 3, further comprising: ~~an upper~~ a lower heating block disposed on a back side of the heating belt and ~~a lower~~ an upper heating block disposed on a back side of the ~~pressing~~ press belt, the upper and lower heating blocks adapted to heat solar cells of the solar battery module; and

~~an upper~~ a lower cooling block disposed on the back side of the heating belt and ~~a lower~~ an upper cooling block disposed on a back side of the ~~pressing~~ press belt, the upper and lower cooling blocks adapted to cool the solar cells of the solar battery module.

AMENDMENT  
U.S. Application No. 10/584,712

Atty. Docket No.: 900-555  
Art Unit No.: 1793

Claims 13-24 (Cancelled)